

# all-wood series doors



# All-wood series doors



**All-wood** system is based on sliding doors which main advantage is space economy and functionality. **All-wood** system is used in various solutions (built-in closets, partition systems, delimitation constructions). **All-wood** is equipped with roller mechanism door. Minimum covering of the doors is 30 mm. **All-wood** maximal door leaf width is **1200 mm**, maximal door height – **2590 mm**.

## Colours:



Birch LZ



Cherry LC



Oak LO




Walnut LN



Venge LV

## Dividing profiles

For All-wood doors we offer "MINI" dividing profile (height – 10mm, thickness – 3mm).



"MINI" profile

## Handle

For more convenient usage of the doors, we offer handle – square.



Handle – square  
(80 x 80 mm)

## Lighting profile

Lighting profile is used for extra lighting element installation in the wardrobe.



## SOFTSTOP mechanism

SOFTSTOP is unique door brake – indrawn mechanism.



## Stoppers

For All-wood series sliding doors are offered two types of stoppers – TOP stopper (placed in the top track) and bottom stopper (placed in the bottom track). For most efficient usage it is recommended to install both top and bottom stoppers.



TOP stopper




bottom stopper



## End caps

Top and bottom track visible and opened profile ends could be covered with different material end caps. (PVC, aluminum).



plastic end caps




aluminium end caps




## Bottom tracks


Ensuring the door usage in different situations, based on door type we offer single, double and triple bottom tracks. Bottom track can be cut-in in the soft surface as well as hard surface of the floor. We offer track that can be cut-in in tiled floor surface. For MASSIVE wood system the distance between bottom track centers is 38,5 mm.




bottom single track




bottom single track (cut-in in the soft surface of the floor)




bottom single track (cut-in in the hard surface of the floor)




bottom single track cut-in in the tiled surface of the floor)




bottom double track (between tracks is flooring material)




bottom double track (between tracks is flooring material)



two bottom single tracks cut-in in the tiled surface of the floor)




bottom double track




bottom triple track

## Top tracks


Ensuring the door usage in different situations, based on door type we offer single, double and triple top tracks. All-wood series systems top tracks inside measure is 37,2 mm.



Top single track



top double track



top triple track

Official distributor:

